EDGE COMPUTING TO IMPROVE RESOURCE UTILIZATION AND SECURITY IN THE CLOUD COMPUTING SYSTEM

Bharath Kumar Enesheti, Naresh Erukulla, Kotha Mahesh

[1,2]Department of Information and Technology, University of the Cumberlands, USA.
[3]Department of CSE, CMR Technical Campus, Hyderabad

Abstract: *Due to rapid evolvement of Internet technologies changes the world in all aspects where the more users connect to internet yields large scale of data handling which causes inefficient utilization of resource, slow response speed, bandwidth load, poor security, and privacy in cloud computing system. The traditional computing techniques are not satisfying the problems hence we need a new era of technology called edge computing. Unlike cloud computing it focuses closer to user and source of the data. This article mainly reviews the related research and results of edge computing with good resource utilization in cloud. We mainly focused on resource utilization and security issues in cloud to be improved with edge computing. We also emphasized some reviews related to various researches with respect to the cloud also touched of applications of edge computing. The Edge computing paradigm provides low latency, mobility, and location awareness support to delay-sensitive applications.*

Keywords: Edge computing, cloud computing, Internet of Things.

INTRODUCTION

With the advancement of keen society and the nonstop improvement of individuals' necessities, knowledge has involved different ventures and individuals' regular routines in the public eye. Edge gadgets have spread to all parts of society, such as brilliant homes and independent vehicles in the field of transportation, camera, savvy creation robot in smart assembling, and so on therefore, the quantity of gadgets associated with the Internet has expanded altogether.

The development of edge figuring is connected to the need to deal with information near information age sources in IoT gadgets. As per the most recent gauges, we could see more than 75.44 billion IoT gadgets by 20251 — a 5G increment starting around 2015. In this unique circumstance, the test isn't just overseeing IoT gadgets however more significantly, how to adapt to the volume of information and content that associated gadgets will create.

In the present winning IoT design, sensor information is communicated over a wide region organization to be concentrated, handled and examined which makes an extra stockpile of advanced information. These information and insightful models are planned to trigger

activities either on the actual thing, in upstream business frameworks, or in different stages that can utilize the information outside of the first setting.

Tragically, this IoT approach is impractical in the long haul, because of the quantity of gadget associations, volume of information, inertness across various areas and networks, and the non concurrent idea of numerous associations between information stream and insightful cloud administrations. Likewise, the present heterogeneous organizations can't deal with the gigantic development expected in the quantity of endpoints and the information volume. At last, shrewd ways of circulating the information are not yet accessible. These difficulties have made a squeezing need to move data and insightful models nearer to the wellspring of information, to give process capacity inside a climate where availability and reaction times can be controlled. To address these necessities, another class of edge figuring and network has arisen.

EDGE COMPTUING

Edge computing is different from traditional cloud computing. It is a new computing paradigm that performs computing at the edge of the network. Its core idea is to make computing closer to the source of the data [4]. Researchers have different definitions of edge computing. Shi et al. [5][7] introduced the emergence of the concept of edge computing: ‘‘Edge computing is a new computing mode of network edge execution. The downlink data of edge computing represents cloud service, the uplink data represents the Internet of Everything, and the edge of edge computing refers to the arbitrary computing and network resources between the data source and the path of cloud computing center.

Edge computing is a new computing model that deploys computing and storage resources (such as cloudlets, micro data centers, or fog nodes, etc.) at the edge of the network closer to mobile devices or sensors’’ [4]. Zha et al. [8] proposed on the basis of the above two definitions: ‘‘Edge computing is a new computing model that unifies resources that are close to the user in geographical distance or network distance to provide computing, storage, and network for applications service.’’ China’s edge computing industry alliance defines edge computing as: ‘‘near the edge of the network or the source of the data, an open platform that integrates core capabilities such as networking, computing, storage, applications, and provides edge intelligent services nearby to meet the industry agility key requirements in connection, real-time business, data optimization, application intelligence, security and privacy’’ [9].In other words, edge computing is to provide services and perform calculations at the edge of the network and data generation.

Edge computing is to migrate the cloud’s network, computing, storage capabilities and resources to the edge of the network, and provide intelligent services at the edge to meet the critical needs of the IT industry in agile linking, real-time business, data optimization, application intelligence, security and privacy, and meets the requirements of low latency and high bandwidth on the network. Edge computing has become a research hotspot nowadays.

CLOUD COMPUTING

Cloud computing is a new technology based on distributed processing, parallel computing and grid computing, and is one of the hottest topics in the field of information technology. Academic circles, industrial circles and governments have also paid close attention to it [1]. Cloud computing has three main aspects: SaaS (software as a service), PaaS (platform as a service) and IaaS (infrastructure as a service). As shown in Figure 1.A SaaS provider typically hosts and manages a given application in their own data centre and makes it available to multiple tenants and users over the Web. Some SaaS providers run on another cloud provider's PaaS or IaaS service offerings. Oracles CRM on Demand, Salesforce.com are some of the well known SaaS examples. PaaS is an application development and deployment platform delivered as a service to developers over the Web.

EDGE INFORMATION DEALING WITH AND SECURITY

Each class of edge gadget has diverse handling abilities as far as figure and capacity. This reaches from running implanted programs for gadget controls, performing business rule execution, to executing models that help total business arrangement stages. We order information dealing with into the accompanying general classes:

Circulation as it was: In this situation, edge gadgets give buyers with a nearer passage for huge sums of content. Information is static or changes rarely from a focal control point. Information taking care of is centred essentially around quick conveyance over a wide geology.




Fig. 1. Motivation, challenges and opportunities in edge computing

Straightforward handling: Provides availability to high speed information to total information, qualify esteem, screen certain examples to diminish transmission capacity, and to bring the right information to cloud for extra handling. This classification of edge arrangements is frequently associated with pre-handling information.

Complex handling: Edge arrangements in this classification pre-process information prior to sending it to cloud. It likewise brings extra cloud-based business rationale to the edge, which can appear as applications for controlling resources or insightful models — including complex business rules. A few models incorporate dealing with video information and working in separated conditions or modern conditions where a close to ongoing reaction is required dependent on the information.

Multi-application handling: This class not just backings complex handling, yet in addition upholds the sending of whole information stages including numerous applications. Handling and utilization of information is by and large dealt with from the edge. These are top of the line edge server farms that give confined, totally free arrangements that can be part of a crossover cloud arrangement. Edge gadgets in this class are more complex in nature, for the most part multi-hub equipment with a virtualization layer.




Fig. 2. Edge devices and edge nodes in relation to the cloud

EXISTING SURVEYS

Aspects	Survey papers	Contributions
Cloudlet	[15]	A new cloudlet-based architecture for overcoming the technical obstacles in mobile computing. An open ecosystem based on the concept of cloudlets supporting many exciting mobile applications.
Mobile edge computing	[12]	An overview of MEC definition, architectural blueprint, requirements, and challenges of MEC as well as the objectives of the MEC initiative.
	[13]	A comprehensive survey of the state-of-the-art MEC research focusing on joint radio and computational resource management.
	[17]	A comprehensive survey of major use cases and reference scenarios, current advancement in standardization of MEC, and research on computation offloading.
Fog computing	[4]	A summary of the opportunities and challenges of fog computing focusing primarily on the networking context of IoT.
	[16]	An overview of Fog computing definition, reference architecture, use cases and challenges for fog computing as well as the future research and work.
Comprehensive surveys	[9]	An overview of edge computing definition, origin and background, challenges, and applications. Discussions of the future research directions of edge computing. A comprehensive comparison of three approaches: fog computing, MEC and Cloudlet.
	[14]	Discussions of further work and research in order to get concepts like Fog, MEC and Cloudlets adopted by industry.

Table 1 Summary of existing survey articles on edge computing.

CLOUDLET: THE EDGE OF WEB

One of the basic difficulties in distributed computing is the start to finish responsiveness between a cell phone and related cloud. To address this test, the cloudlet, which is a versatility upgraded limited scope cloud Data Centre (DC) that is situated at the edge of the web, is proposed. A cloudlet is a trusted, asset rich PC or bunch of PCs that are all around associated with the web and accessible for use by neighbouring cell phones [15]. The fundamental reason for the cloudlet is supporting asset concentrated and intuitive versatile applications by giving incredible registering assets to cell phones with lower dormancy. Client Equipments (UEs) can access the figuring assets in the close by cloudlet through a one-jump fast remote neighbourhood. Cloudlets address the centre level of the 3-level order

engineering (cell phone layer, cloudlet layer, and cloud layer) to accomplish fresh reaction time. There are not many yet significant differentiators among cloud and cloudlet:

EDGE COMPUTING AND DATA SECURITY ISSUES IN EDGE LAYER

The standard registering system, Fog Flow created by the NEC research center, is utilized as a ground structure, and conveys the proposed idea. This structure upholds standard interfaces to share and reuse logical information across administrations. As displayed in Figure 1, there are three intelligent divisions in the system: administration the board, information handling, and setting the executives. The assistance the executives incorporates Topology Master (TM), task architect and docker picture vault. Task architect gives a web interface to screen the IoT administrations, and the docker store deals with all the docker pictures. TM is answerable for administration arrangement to deal with administration prerequisites and administration geography among the edge hubs.

The labourer or edge hubs at the nearness of IoT gadgets perform information handling undertakings allocated by TM. TM and labourers convey through Rabbit MQ convention. At last, setting the executives incorporates IoT disclosure, a bunch of IoT specialists and unified intermediaries. These parts build up information stream across the undertakings and oversee context oriented information like accessibility of labourers, geography, task and created information stream [11]. Figure 1 likewise portrays the interaction and information stream of the structure. The Fog Flow structure upholds different use cases like lost youngster locater, abnormality discovery in savvy urban areas, shrewd stopping, and brilliant industry. Thusly, executing the proposed Data Quarantine Model (DQM) considering the Fog Flow system can uphold the constant appropriateness of the idea to address information respectability issues in any utilization case situations.




Fig.3. Category of Data Attack in Edge Computing

DATA SECURITY AND PRIVACY PROTECTION

The security of edge computing is one of the hot research issues. Network edge data involves

personal privacy. Although the concept of data processing nearby also provides better structured support for data security and privacy protection, the distributed architecture of edge computing increases the dimension of attack vectors. The smarter the edge computing client, the more vulnerable they are to malware infections and security breaches. Existing data security protection methods are not fully applicable to edge computing architectures. Moreover, the highly dynamic environment at the edge of the network also makes the network more vulnerable and difficult to protect. Data security and privacy protection in edge computing faces four new challenges:

(1) New requirements for lightweight data encryption and fine-grained data sharing based on multiple authorized parties in edge computing. Because edge computing is a computing mode that integrates multiple trust domains with authorized entities as trust centers, traditional data encryption and sharing strategies are no longer applicable. Therefore, it is particularly important to design a data encryption method for multiple authorization centres. At the same time, the complexity of the algorithm should be considered.

(2) Multi-source heterogeneous data propagation control and security management issues in a distributed computing environment. Users or data owners want to be able to use effective information dissemination control and access control mechanisms to achieve data distribution, search, access, and control of the scope of data authorization. In addition, due to the outsourcing nature of data, its ownership and control are separated from each other, so an effective audit verification scheme can ensure the integrity of the data.

(3) Security challenges between large-scale interconnected services for edge computing and resource-constrained terminals. Due to the multi-source data fusion characteristics of edge computing, the superposition of mobile and Internet networks, and the resource limitations of storage, computing, and battery capacity of edge terminals, traditional and more complex encryption algorithms, access control measures, identity authentication protocols and privacy protection methods cannot be applied in edge computing.

(4) Diversified services for the Internet of Things and the new requirements of edge computing mode for efficient privacy protection. In addition to the need to design effective data, location and identity privacy protection schemes, how to combine traditional privacy protection schemes with edge data processing characteristics in edge computing environments to enable user privacy protection in a diverse service environment is the future research trend.

At present, the research on edge computing security and privacy protection is still in its infancy, and there are relatively few existing research results. Among them, a really feasible research idea is to port existing security technologies in other related fields to the edge computing environment. Scholars at home and abroad have carried out in-depth research on mobile cloud computing and its security. Roman *et al.* [17] conducted security analysis on several common mobile edge paradigms, elaborated a general cooperative security protection system, and gave research opinions. These works provide theoretical reference for the security research of edge computing. This paper divides the research system of data security

and privacy protection in edge computing into four parts: data security, identity authentication, privacy protection and access control.

Edge devices are able to collect and process data from physical things in the field. Edge devices incorporate transducers to connect with the physical world (sensors and/or actuators); some processing capability (memory, microcontroller, AI accelerators) and some sort of communications. An edge device has also a uniquely identifiable address for the given network.

More and more edge devices are gaining processing capabilities by incorporating not only microcontrollers, but full-fledged microprocessors. The execution of AI workloads is the main driver for these developments. Existing developments are expected to be surpassed soon, thanks to existing efforts in defining neuromorphic edge processors specifically designed for edge execution of neural networks and other AI workloads. The increasing computing demand, driven by the need to provide more intelligent edge features, is prompting the emergence of innovative sets of compute boards designed to be embedded into real life objects.

Edge servers, according to Gartner, “collect data, deliver content, and perform analytics and decision making close to data producers (e.g., sensors and cameras) and data consumers (e.g., people and actuators). They can range from standard servers configured for edge processing (deployed in a data center/closet), to micro data centers that have self-contained power and cooling (deployed anywhere)” .Edge gateways (or IoT gateways) are intermediate devices between edge devices and the applications that create value from their data and access. Edge gateways allow the collection and secure transport of data from devices, remote users and applications. Edge servers with adequate software can act as edge gateways, and certain edge gateway devices include enough capacity to host edge services. Edge connectors represent the different connectivity options (usually other than TCP/IP) between edge devices and gateways, in a wide range of specifications like bandwidth, power consumption and range.

Every class of edge device has different processing capabilities in terms of compute and storage. This ranges from running embedded programs for device controls, performing business rule execution, to executing models that support complete business solution platforms. We classify data handling into the following broad categories:

Distribution only: In this scenario, edge devices provide consumers with a closer access point for large amounts of content. Data is static or changes infrequently from a central control point. Data handling is focused primarily on fast distribution over a wide geography.

Simple processing: Provides connectivity to high velocity data in order to aggregate data, qualify value, monitor certain patterns to reduce bandwidth, and to bring the right data to cloud for additional processing. This category of edge solutions is often involved in pre-processing data.

Complex processing: Edge solutions in this category pre-process data before sending it to cloud. It also brings additional cloud-based business logic to the edge, which can take the form of applications for controlling assets or analytical models including complex business rules. Some examples include handling video data and operating in disconnected environments or industrial environments where a near real-time response is required based on the data.

Multi-application processing: This category not only supports complex processing, but also supports the deployment of entire data platforms including multiple applications.

Processing and consumption of data is generally handled from the edge. These are high-end edge data centres that provide localized, completely independent solutions that can be part of a hybrid cloud setup. Edge devices in this category are more complex in nature, generally multi-node hardware with a virtualization layer.

SECURITY AND PRIVACY

Late years have seen a hazardous development of unstructured information for the most part put away on cloud-based innovation. If there should be an occurrence of distributed storage, clients totally let completely go over their information, and along these lines face protection spillage hazards. Normally, security insurance arrangements depend on encryption innovation. In any case, these plans are presently not successful enough to oppose against assaults dispatched within cloud server.

To determine this issue, a Fog registering based three-layer protection saving stockpiling conspires was proposed in [12]. The plan receives the reward of distributed storage while guaranteeing client information insurance. Besides, a Hash-Solomon calculation was intended to figure the appropriation extent put away in the cloud, Fog and neighbourhood machine. The hypothetical investigation results approved the attainability of the proposed conspire. Asset designation plans are generally embraced in Fog registering as they guarantee ideal usage of the assets. Notwithstanding, these plans are powerless against digital what's more actual assaults. To conquer this issue, a protection safeguarding plan was proposed in [13]. The plan depends on steady message extension. Formal investigation results show that the plan assists with relieving against listening in and brilliant entryway assaults as they are generally dispatched on asset distribution calculations. Moreover, the proposed plot is hearty, as it satisfies clients' security needs by having full key trade off opposition.

RESOURCE MANAGEMENT

FemtoClouds is a powerfully self-arranging Cloudlet framework that facilitates numerous versatile gadgets to give computational offloading administrations [17]. In opposition to customary Cloudlet peculiarities, FemtoClouds uses the encompassing cell phones to perform computational offloading assignments, in this manner diminishing the organization idleness.

In the proposed framework, a gadget (PC) going about as a Cloudlet makes a Wi-Fi passageway and controls the cell phones (register bunch) ready to share calculation. Cell phones can offload an assignment by giving appropriate data about the undertaking (for example, information and result information size and computational code) to the Cloudlet. Cloudlet first reviews the accessible calculation assets in the register group and the time needed to execute the errand. Then, at that point, the errand is booked to the accessible gadgets utilizing the ravenous heuristic drew nearer advancement model. The introduced framework makes a local area cloud with insignificant ward on corporate hardware. The exhibition of the introduced framework relies upon the quantity of portable gadget interest in the figure bunch.

ARCHITECTURE OF EDGE COMPUTING

With the Internet of Everything era and the development of 5G, edge computing is considered as one of the key technologies in the next generation of communication network following the Internet of Things and artificial intelligence. The reference architecture for edge computing is the focus of many organizations. This section begins with an overview of the general architecture for edge computing, followed by a detailed introduction of the reference architecture proposed by the edge computing industry alliance. Edge figuring engineering is a united organization structure that stretches out cloud administrations to the edge of the organization by presenting edge gadgets between terminal gadgets and cloud processing. The construction of cloud-edge cooperation is for the most part partitioned into terminal layer, edge layer and distributed computing layer. Coming up next is a concise prologue to the synthesis and elements of each layer in the edge registering engineering.

TERMINAL LAYER: The terminal layer comprises of a wide range of gadgets associated to the edge organization, including versatile terminals and numerous Web of Things gadgets (like sensors, cell phones,
shrewd vehicles, cameras, and so forth) In the terminal layer, the gadget isn't just an information buyer, yet in addition an information supplier. All together to diminish the terminal help delay, just the view of the different terminal gadgets is thought of, not the processing power. Thus, a huge number of gadgets in the terminal layer gather a wide range of crude information and transfer it to the upper layer, where it is put away and determined.

BOUNDARY LAYER: The edge layer is the center of the three-level engineering. It is situated at the edge of the organization and comprises of edge hubs generally dispersed between terminal gadgets what's more mists. It as a rule incorporates base stations, passages, switches, switches, entryways, and so forth The edge layer upholds the access of terminal gadgets descending, and stores and registers the information transferred by terminal gadgets. Interface with the cloud and transfer the handled information to the cloud [7]. Since the edge layer is near the client, the information transmission to the edge layer is more appropriate for continuous information investigation and wise handling, which is more proficient and secure than distributed computing.

CLOUD LAYER: Among the united administrations of cloud-edge registering, distributed computing is as yet the most impressive information handling focus. The distributed computing layer comprises of various superior execution servers and capacity gadgets, with incredible figuring and capacity abilities, and can assume a decent part in regions requiring a lot of information investigation, for example, standard upkeep and business choice help. The cloud figuring focus can for all time store the revealed information of the edge registering layer, and it can likewise finish the examination errands that the edge figuring layer can't deal with also the handling undertakings that coordinate the worldwide data. Furthermore, the cloud module can likewise powerfully change the sending procedure and calculation of the edge processing layer as per the control strategy.

Edge frameworks support two main aspects of edge devices. First, they provide a platform to provision and run workloads near to the source of data with full lifecycle support. Second, they provide the means to orchestrate such workloads. State-of-the-art edge frameworks have the following characteristics, and provide features that enable critical device functions:

Manageability	By their nature, edge devices are generally deployed into inaccessible and widespread areas. Managing edge devices remotely with over-the-air (OTA) updates is essential to smoothly upgrade frameworks and deployed solution payloads.
Orchestration	Edge devices must perform multiple operations in parallel as well as bring a workflow flavour to solutions for ease of integration and adaptation. Support for orchestrating message flows and service calls is key.
Modularity	Modular architecture enables you to customize the solutions that need to run on edge. Depending on the use case, framework modules can be combined to support the modularization required.
Communication	Edge frameworks should be able to send data from edge to cloud, cloud to edge and even edge to edge, so you must support communication flows towards “things” as well as towards the platform. Abstraction, rather than low-level communication protocols, is needed to develop solutions which are focused only on business logic.
Deployment flexibility	Containerization is not merely a cloud phenomenon, but is well suited to edge. Edge frameworks need to support flexible deployment models, and the resilient and portable nature of Docker containers makes them ideal for edge scenarios.
Device optimized	Edge devices do not have the infrastructure scalability of cloud, so be aware of the hardware limitations of your devices. Edge devices range from single chip MCUs to high-end edge data centres (and every combination in-between) but even in this extreme range, physical compute power is a limitation.
Security	Edge devices are the direct and closest control units for “things,” and high control and access security is required

	at all levels — including access to the physical device, access to the OS, local data and communications.
Support processing	Provide operational capabilities to process data flows at the edge. Edge use cases generally require solutions to process (filter, compute, analyze) data generated at the edge before it is sent to cloud. Some frameworks support machine learning models that are optimized for specific hardware.

EDGE COMPUTING APPLICATIONS

The introduction of each arising innovation is trailed by its comparing application in various situations. The significant basis to test the attainability of the new innovation is regardless of whether it is effective to take care of the current issues in the real climate. The different difficulties and openings that edge figuring will look in the application cycle are introduced. With the improvement of edge calculation in principle, an ever increasing number of utilizations dependent nervous calculation are called reality. This segment will profoundly get edge computation through the use of edge estimation in five scenes: edge estimation video reserve scene, 5G correspondence scene, edge computation network video live transmission scene, prescient support scene and security observing scene.

Edge processing imagines to bring administrations and utilities of Cloud registering nearer to the end client for guaranteeing quick handling of information serious applications. In this paper, we thoroughly examined the key ideas identified with Cloud and Edge figuring. We ordered and characterized the best in class in Edge registering (Cloudlets, Fog and Mobile Edge processing) as per the application area. The application space regions incorporate administrations like constant applications, security, asset the executives, and information examination. We introduced key prerequisites that need to be met to empower Edge figuring. Besides, we recognized and talked about a few open research difficulties. This review infers that the cutting edge in Edge processing worldview experiences a few constraints because of basic difficulties still needing to be tended to. Those restrictions can be repaid by proposing appropriate arrangements and satisfying the necessities like unique charging component, ongoing application support, joint plan of action for the board and sending, asset the executives, adaptable design, excess and fall flat over abilities, and security. This review fills in as an incredible material to future scientists to appreciate the Edge registering worldview and take the exploration forward to determine the unaddressed issues. Our future exploration points to investigate the exploration drifts in Multi-access Edge figuring organizations.

CONCLUSION

In this paper we explained about edge computing for resource utilization and security in cloud system along with architectural and privacy. Edge computing handles large scale of data and computing at edge of the networks. We also briefed internet intelligent services with support of data diversification. Edge computing became an intensive research domain with

progressive development. Explained various applications of edge computing in real time for future scope. It brings services and utilities of cloud computing closer to the end user. We classified and grouped edge computing key technologies Cloudlets, Fog and Mobile Edge computing according to the application. It includes services such as real-time applications, security, resource management, and data analytics. We presented key requirements that need to
be met in order to enable Edge computing. Furthermore, we identified and discussed several open
research challenges.

REFERENCES

[1] M. Peng, K. Zhang, Recent advances in fog radio access networks: performance analysis and radio resource allocation, IEEE Access J. 4 (2016) 5003–5009.

[2] A. Al-Fuqaha, M. Guizani, M. Mohammadi, M. Aledhari, M. Ayyash, Internet of things: a survey on enabling technologies, protocols, and applications, IEEE Commun. Surv. Tutor. 17 (2015) 2347–2376.

[3] CISCO, The Internet of Things How the Next Evolution of the Internet Is Changing Everything, White Pap, 2011, http://www.cisco.com/c/dam/en us/about/ac79/ docs/innov/IoT_IBSG_0411FINAL.pdf.

[4] M. Chiang, T. Zhang, Fog and IoT: an overview of research opportunities, IEEE Internet Things J. 3 (2016) 854–864.

[5] F. Ganz, D. Puschmann, P. Barnaghi, F. Carrez, A practical evaluation of information processing and abstraction techniques for the internet of things, IEEE Internet Things J. 2 (2015) 340–354.

[6] Yuan Ai, Mugen Peng , Kecheng Zhang, Edge computing technologies for Internet of Things: a primer, Digital Communications and Networks 4 (2018) 77–86.

[7] Wazir Zada Khan, Edge computing: A survey, Article in Future Generation Computer Systems, Preprint submitted to Elsevier April 2, 201

[8] Ravindra Changala, Evaluation And Analysis Of Discovered Patterns Using Pattern Classification Methods In Text Mining, ARPN Journal of Engineering and Applied Sciences, Vol3,Issue 11.

[9] M. Satyanarayanan, The emergence of edge computing, Computer (Long. Beach. Calif) 50 (2017) 30–39.

[10] Vincent Couteau, Jordi Cuartero,A 2021 perspective on edge computing Blesson Varghese, Challenges and Opportunities in Edge Computing

[12] ETSI, Mobile-edge Computing Introductory Technical White Paper, White Paper, Mobile-edge Computing Industry Initiative, 2014, https://portal.etsi.org/portals/0/ tbpages/mec/docs/mobile-edge_computing_– _introductory_technical_white_paper_ v1.

[13] Y. Mao, C. You, J. Zhang, K. Huang, K.B. Letaief, A Survey on Mobile Edge Computing: the Communication Perspective, 2017. https://arxiv.org/abs/1701. 01090.

[14] Guenter I. Klas, Fog Computing and Mobile Edge Cloud Gain Momentum Open Fog Consortium, ETSI MEC and Cloudlets, 2015. http://yucianga.info/?.

[15] M. Satyanarayanan, P. Bahl, R. Caceres, N. Davies, The case for VM-base cloudlets in mobile computing, Pervasive Comput. 8 (2009) 14–23.

[16] Open Fog Consortium, OpenFog Reference Architecture for Fog Computing. https://www.openfogconsortium.org/wp-content/uploads/OpenFog_Reference_ Architecture_2_09_17-FINAL-1.pdf.

[17] P. Mach, Z. Becvar, Mobile Edge Computing: a survey on architecture and computation offloading, IEEE Commun. Surv. Tutor. 19 (2017) 1628–1656, https:// doi.org/10.1109/COMST.2017.2682318.

[18] Ravindra Changala, Data Mining Techniques for Cloud Technology, International Journal of Advanced Research in Computer and Communication Engineering (IJARCCE), Vol4, Issue8.

[19] Keyan Cao 1,2, Yefan Liu,An Overview On Edge Computing Research, Special Section On Edge Computing And Networking For Ubiquitous Ai, Volume 8, 2020, IEE Access.